

THIS CES IS SPONSORED BY

ARMY CODE No. 33594

DIRECTORATE OF SUPPLY
MANAGEMENT (ARMY)

ARMY CATALOGUING
AUTHORITY (ACA)

COMPLETE EQUIPMENT SCHEDULE

This Edition Includes
Amendments N^o1 to N^o26

SERVICE EDITION

ARMY CODE No. 33594

Dated: JULY 1983

Transcribed to new format
without amendment JANUARY

TITLE: TRUCK UTILITY 3/4 TON 4 x 4 ROVER (VARIOUS)
(AS LISTED IN PART 1)

SECTION 1 EXPLANATORY NOTES

SECTION 2 THE SCHEDULE

MOD(ARMY) CENSUS CODE No.

1710.1778
1710.6778
1717.4778
1717.9778

SIMPLE EQUIPMENT

CONTENTS

The equipment covered by this Schedule is listed in three parts viz:

- PART 1 Summary of items forming the complete equipment.
- PART 2 Detail of main items other than Tools, Spares, Equipment and Literature.
- PART 3 Detail of Tools, Spares and Literature.

INSTRUCTIONS FOR USE BY UNITS

1. Detailed instructions for use are given in Materiel Regulations Volume 1 Pamphlet No 2 Army Code 60993 (Pam 2).
2. INITIAL ISSUES BY RAOC
 - a. One copy of the CES will be attached to the Unit's copy of the Issue Voucher and one further copy accompany every equipment.
 - b. Deficiencies (if any) will be enfaced on the covering Issue Voucher by reference to the Serial Number of the item listed in the Simple CES.
 - c. "To follow" vouchers will not be created.
3. IN LIEU ITEMS Authorised "in lieu" items held against this CES will not be replaced until such time as they are no longer serviceable. When replacement becomes necessary the correct item, as listed in the CES, will be demanded.

SECTION 1 - EXPLANATORY NOTES

SERIAL NO	DETAILS	REMARKS																																			
(a)	(b)	(c)																																			
(1)	<p><u>GENERAL NOTES</u></p> <p>Annotations (See column (d))</p> <p>(E) Expendable Stores, consumable stores and materials and "NON LEDGER" Spare parts of minor value.</p> <p>(X) ESSENTIAL ITEMS without which the RAOC will not issue the equipment</p> <p>(*) This star indicates the accountability classification of the Item.</p>																																				
(2)	<p>CONTRACTS applicable</p> <table border="0" data-bbox="460 847 1257 1067"> <tr> <td>KL/H/01130</td> <td>WV32</td> <td>WV5054</td> <td>WV8058</td> <td>WV10367</td> </tr> <tr> <td>KL/H/01292</td> <td>WV2651</td> <td>WV8876</td> <td>WV8678</td> <td>WV10786</td> </tr> <tr> <td>FVE 22A/12</td> <td>WV2926</td> <td>WV7135</td> <td>WV9226</td> <td>WV10829</td> </tr> <tr> <td>FVE 22A/49</td> <td>WV3268</td> <td>WV7217</td> <td>WV9257</td> <td>WV11403</td> </tr> <tr> <td>FVE 22A/95</td> <td>WV3517</td> <td>WV7419</td> <td>WV9728</td> <td>WV11138</td> </tr> <tr> <td>FVE 22A/115</td> <td>WV3693</td> <td>WV7453</td> <td>WV10176</td> <td>WV11703</td> </tr> <tr> <td></td> <td>WV4628</td> <td>WV8002</td> <td>WV10275</td> <td>WV11713</td> </tr> </table>	KL/H/01130	WV32	WV5054	WV8058	WV10367	KL/H/01292	WV2651	WV8876	WV8678	WV10786	FVE 22A/12	WV2926	WV7135	WV9226	WV10829	FVE 22A/49	WV3268	WV7217	WV9257	WV11403	FVE 22A/95	WV3517	WV7419	WV9728	WV11138	FVE 22A/115	WV3693	WV7453	WV10176	WV11703		WV4628	WV8002	WV10275	WV11713	
KL/H/01130	WV32	WV5054	WV8058	WV10367																																	
KL/H/01292	WV2651	WV8876	WV8678	WV10786																																	
FVE 22A/12	WV2926	WV7135	WV9226	WV10829																																	
FVE 22A/49	WV3268	WV7217	WV9257	WV11403																																	
FVE 22A/95	WV3517	WV7419	WV9728	WV11138																																	
FVE 22A/115	WV3693	WV7453	WV10176	WV11703																																	
	WV4628	WV8002	WV10275	WV11713																																	
(3)	<p>Mandatory lighting and 'convoy' light are fitted to this vehicle but are not listed in the CES.</p>																																				

SECTION 1 - EXPLANATORY NOTES

SERIAL NO	DETAILS	REMARKS
(a)	(b)	(c)
	<p><u>SPECIFIC NOTES</u></p>	
(10)	For detail see Section 2 Part 2 (Items 20-22)	Item 2
(11)	For detail see Section 2 Part 2 (Items 50-67)	Item 3
(12)	For detail see Section 2 Part 3 (Items 80-83)	Item 4
(13)	APPLICABLE TO CONTRACTS WV8002, WV8058, WV7419, WV7453, WV5054	Item 65
(14)	FOR CONTRACTS WV5054, WV7453	Item 101
(15)	ALTERNATIVE SPANNER IS APPLICABLE TO CONTRACTS WV10176, WV10275, WV10367	Item 64
(16)	Not Required for RAF Vehicles	Items 80, 81, 82, 83 and 102
(17)	APPLICABLE Only to the following Codes 1710-1778, 1710-4778, 1710-6778, 1717,4778 1717-9778	Items 66 and 67

SECTION 2 - SCHEDULE

CES 33594

PART 1 - SUMMARY OF ITEMS FORMING COMPLETE EQUIPMENT

SER NO	NSN and Catalogue Designation	Qty	Notes	SER No	NSN and Catalogue Designation	Qty	Notes
(a)	(b)	(c)	(d)	(a)	(b)	(c)	(d)
1	TRUCK utility 3/4 ton 4x4 Rover 9 TRUCK utility 3/4 ton 4x4 Rover 11 2320-99-893-2840 TRUCK utility 3/4 ton 4x4 Rover series 3 TRUCK utility 3/4 ton 4x4 LHD Rover 9 TRUCK utility 3/4 ton 4x4 LHD Rover 11 2320-99-893-2841 TRUCK utility 3/4 ton 4x4 Land Rover Series 3	1					
2	VEHICLE fitted items		(10)				
3	VEHICLE loose items		(11)				
4	VEHICLE tools		(12)				
5	VEHICLE equipment	NIL					
6	VEHICLE literature (See Section 2 Part 3)						
7	GENERAL AND SPECIFIC NOTES (See Section 1)						

SECTION 2 - SCHEDULE

PART 2 - MAIN ITEMS

CES 33954

SER NO	NSN and Catalogue Designation	Qty	Notes	SER No	NSN and Catalogue Designation	Qty	Notes
(a)	(b)	(c)	(d)	(a)	(b)	(c)	(d)
	<u>VEHICLE FITTED ITEMS</u>						
20	6MT14/2610-99-809-2810 FLAP rust slip rubber for 5.50F 6.00 G 6.50 H SDC rims ftd w/7.00 7.50 8.25 and 9.00 x 16in tyres	1					
21	7RU/2540-99-809-6637 LID assembly locker vehicular 17.7/8 in lg 12.3/4 in W 7/8 in o/a HRH	1					
22	7RU/2590-99-845-0201 LOCKER stowage vehicular 12.1/4 in lg 10.1/4 in W 5.5/8 in h	1					

SECTION 2 - SCHEDULE

CES 33954

PART 2 - MAIN ITEMS

SER NO	NSN and Catalogue Designation	Qty	Notes	SER No	NSN and Catalogue Designation	Qty	Notes
(a)	(b)	(c)	(d)	(a)	(b)	(c)	(d)
	<u>VEHICLE LOOSE ITEMS</u>						
50	AB 562 VEHICLE record book	1			6MT14/2610-99-824-2112 (b) TYRE pneu comm type 7.50 x 16c C/P 6 PR C/C Tread tubed speed rating 70 mile/H Qty 1		*
51	G1/5340-99-910-8185 PADLOCK steel zinc plated 4 lever type 38 mm (1.1/2-in) W complete with 2 keys 100 key changes	3			6MT14/2610-99-809-3633 (c) INNER tube pneu tyre car type 7.50-16/205-16 syn rubber tr 15 valve radial ply tyre application Qty 1		
52	6MT1/4210-99-881-4724 EXTINGUISHER fire expendable hand held 4.1/2 lb wt charged	1		55	7RU/2540-99-809-8787 CUSHION trimmed assy outer plastics cover	2	*
53	6MT1/5120-99-943-0538 JACK screw hand 1 ton triple lift closed 5.1/4 in open h 14 in c/w 30 in lg handle Def Stan 51.3 table A-1 ton	1	*	56	7RU/2540-99-822-3011 CUSHION seat vehicular	1	*
54	NOT SERVICED ROAD WHEEL assy (spare)	1	*	57	7RU/2540-99-801-3545 BACKREST individual seat passenger	1	*
	<u>Each Comprising</u>			58	7RU/2540-99-809-2042 BACKREST individual seat drivers	1	*
	6MT14/2530-99-806-1967 (a) WHEEL pneu type 5.50F-16in well base 33.3 mm insert 5-19 mm dia stud holes 165.1 mm PCD 115mm bore Qty 1		*	59	7RU/2540-99-811-8995 CUSHION seat back vehicular centre passenger front seat	1	*
				60	7RU/2805-99-850-0903 CRANK hand S 6.5/8-in lg throw 4-in lg handle pin drive	1	

SECTION 2 - SCHEDULE

CES 33954

PART 2 - MAIN ITEMS

SER NO	NSN and Catalogue Designation	Qty	Notes	SER No	NSN and Catalogue Designation	Qty	Notes
(a)	(b)	(c)	(d)	(a)	(b)	(c)	(d)
61	7RU/2510-99-817-5817 SIDESCREEN assy side RH	1	*	69	FVRDE NO 30503 HARNESS safety drivers and passengers	2	(13)
62	7RU/2510-99-817-4119 SIDESCREEN assy side LH S and glass 3.7/8-in max lg 20.5/16-in W 1.1/4-in o/a h	1	*	70	7RU/2540-99-895-2189 FRAME rear seat	2	*(17)
63	7RU/2540-99-821-8609 CANOPY vehicular body	1	*	71	7RU/2540-99-808-3874 CUSHION seat vehicular rear	4	(17)
64	7RU/5120-99-804-3130 SPANNER socket hex 0.926-in A/F 9-in approx o/a lg handle offset 20 deg or 6MT2/5120-99-822-2615 SPANNER box single socket 27.05-mm 1.063-in A/F 204-mm 8-in lg handle	1	(15)				(15)
65	Item Deleted						
66	Item Deleted						
67	Item Deleted						
68	Item Deleted						

SECTION 2 - SCHEDULE

PART 3 - TOOLS, SPARES AND LITERATURE

CES 33594

SER NO	NSN and Catalogue Designation	Qty	Notes	SER No	NSN and Catalogue Designation	Qty	Notes
(a)	(b)	(c)	(d)	(a)	(b)	(c)	(d)
	<u>VEHICLE TOOLS</u>						
80	F1/5120-99-910-5525 PLIERS steel side cutting 6 in nominal size insulated pipe grip	1	(16)				
81	F1/5120-99-136-5590 SCREWDRIVER flat point engineers w/sq blade 6.500 mm W of point 75.0 mm lg of blade 200 mm nom o/a lg 29 mm A/F	1	(16)				
82	F1/5120-99-910-5964 SPANNER adj O/E type sgle head 0-1 in jaw opening capacity straight handle 8 in lg o/a	1	(16)				
83	6MT2/4910-99-807-0183 GAUGE tyre pressure self contained calibrated 10-120 lbs in 2 lb divisions	1	(16)				

SECTION 2 - SCHEDULE

PART 3 - TOOLS, SPARES AND LITERATURE

CES 33594

SER NO	NSN and Catalogue Designation	Qty	Notes	SER No	NSN and Catalogue Designation	Qty	Notes
(a)	(b)	(c)	(d)	(a)	(b)	(c)	(d)
	<u>VEHICLE LITERATURE</u>						
100	33594 CES Service Edition	1					
101	18390 USER handbook or 22152 USER Handbook or 2320-D-100-201	1	(14)				
102	2320-D-100-601 SERVICING schedule	1	(16)				
103	AB562 VEHICLE record book (accounted for at item 50)	1					